

MEAN TURFGRASS QUALITY RATINGS OF KENTUCKY BLUEGRASS CULTIVARS
 GROWN AT EIGHT LOCATIONS 1/
 IN THE NORTH CENTRAL REGION
 2006-10 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	IA1	IL1	IN1	MI1	MN1	NE1	ON1	WI1	MEAN
BD 03-84	7.3	6.4	6.8	6.0	6.2	6.2	6.3	7.4	6.6
MIDNIGHT	7.2	5.6	6.6	6.1	5.3	7.7	6.3	6.2	6.5
NUCHICAGO (J-1466)	7.4	5.4	6.8	6.1	5.5	7.2	6.1	6.2	6.4
BEWITCHED	7.4	6.2	6.9	5.2	5.9	6.6	6.2	6.2	6.4
NUGLADE	7.2	5.2	6.7	4.9	5.5	7.5	6.0	6.4	6.4
NU DESTINY	7.2	5.5	6.8	5.9	5.2	7.7	5.9	5.7	6.4
ALEXA II (J-2404)	7.1	5.5	6.7	5.5	5.9	7.3	6.0	5.9	6.4
IMPACT	6.8	5.2	6.6	5.5	5.4	7.1	6.2	6.7	6.3
ZINFANDEL (LTP 2949)	6.8	5.5	6.6	5.7	5.2	7.1	6.2	6.5	6.3
SW AG 514	6.4	5.3	6.0	5.9	5.4	7.1	6.1	7.1	6.3
SOLAR ECLIPSE (J-2399)	7.5	5.3	6.5	5.4	5.4	7.5	6.3	5.7	6.3
GRANITE (J-1326)	7.3	5.5	6.8	5.2	5.4	7.2	5.9	5.8	6.3
SUDDEN IMPACT (J-2870)	7.3	5.5	6.6	6.0	5.3	7.0	6.2	5.9	6.3
DF 76-9066	6.6	4.8	6.5	5.0	5.7	7.2	6.3	6.2	6.2
EXCURSION	7.1	5.2	6.8	5.7	5.5	6.9	6.1	6.1	6.2
AWARD	7.1	5.0	6.4	5.4	5.8	7.4	6.5	5.6	6.2
BD 99-2103	7.0	5.3	6.2	5.8	5.3	6.8	5.5	6.5	6.2
RHYTHM	7.1	5.5	6.7	5.4	5.4	7.3	5.9	5.3	6.2
BEYOND	6.7	5.3	6.8	5.7	4.8	7.6	6.3	5.8	6.2
AVID	6.7	5.8	5.8	5.7	5.3	6.7	6.1	6.6	6.2
RHAPSODY (A97-1287)	6.8	5.4	6.5	6.1	5.5	6.6	6.0	6.1	6.1
WASHINGTON	6.4	5.7	5.9	6.3	5.4	6.4	7.2	6.6	6.1
DIVA	6.4	5.0	6.5	5.3	5.0	6.5	6.1	7.0	6.1
SHIRAZ (LTP-73)	7.2	6.0	6.6	5.4	6.1	6.4	6.0	5.2	6.1
BLUESTONE	6.5	5.1	6.3	5.2	5.4	7.6	6.3	5.7	6.1
EVERGLADE	6.9	5.6	6.5	5.6	5.3	7.3	6.3	5.2	6.1
4-SEASON (J-2791)	6.9	5.4	6.5	4.6	5.0	7.0	6.1	6.1	6.1
GINNEY II (J-2024)	7.0	5.3	6.6	5.6	5.3	6.8	6.3	5.7	6.1
J-2502	6.8	5.2	6.5	5.9	5.2	7.1	6.3	5.5	6.1
J-1334	7.2	5.1	6.7	5.1	5.1	7.4	5.8	5.3	6.1
ARROWHEAD (NA-3261)	7.0	5.2	6.5	4.9	5.4	6.4	6.3	5.8	6.1
HAMPTON (BD 03-159)	7.3	6.0	6.5	5.7	5.1	6.2	6.1	5.8	6.1
BLUE NOTE (A01-349)	6.9	5.4	6.4	5.7	5.7	6.0	6.2	6.0	6.1
EVEREST	7.1	5.2	6.3	5.8	5.6	7.0	5.9	5.4	6.0
EMPIRE (A01-299)	7.2	5.4	6.2	5.7	4.8	6.7	5.9	6.0	6.0
A00-1400	7.7	5.8	6.7	5.1	5.4	6.5	6.1	5.0	6.0
MSP 3723	6.6	5.4	6.1	5.0	5.4	6.1	5.8	6.6	6.0
WASHINGTON II (RAD-343)	6.4	5.6	5.7	6.4	5.5	6.1	7.1	6.2	6.0
GLADSTONE (NA-3257)	6.6	5.1	6.2	5.8	5.0	6.6	6.1	6.1	6.0
YANKEE (NA-3271)	7.4	5.8	6.5	5.6	5.1	6.5	6.4	5.1	6.0
TOUCHE (STR 23180)	6.4	5.3	6.0	5.8	5.1	6.1	6.5	6.6	6.0
BARRISTER	6.5	4.9	6.4	5.1	5.3	6.7	5.9	5.9	6.0
STR 2553	6.4	5.1	6.0	5.4	5.5	6.3	5.7	6.2	6.0
HARMONIE	6.2	5.0	6.0	4.8	4.8	6.4	6.2	7.0	5.9

TABLE 6. MEAN TURFGRASS QUALITY RATINGS OF KENTUCKY BLUEGRASS CULTIVARS
 (CONT'D) GROWN AT EIGHT LOCATIONS 1/
 IN THE NORTH CENTRAL REGION
 2006-10 DATA

NAME	TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/								MEAN
	IA1	IL1	IN1	MI1	MN1	NE1	ON1	WI1	
PST-1A1-899	6.9	5.2	6.0	4.8	5.4	6.9	6.3	6.4	5.9
GLENMONT	6.9	4.8	6.3	5.6	5.1	6.1	6.1	5.9	5.9
EMBLEM (PST-Y2K-169)	7.0	5.9	6.6	4.6	5.3	6.9	5.9	4.7	5.9
POPR 04594	6.5	5.6	5.6	5.8	4.8	6.0	6.8	6.7	5.9
CPP 822	6.4	4.7	5.9	5.1	4.9	6.2	6.0	7.0	5.9
JULIET (BD 95-1930)	6.4	5.4	5.9	6.2	5.0	6.1	7.1	6.2	5.9
STARBURST (STR 2703)	7.0	5.9	6.1	5.4	4.7	6.0	6.5	5.9	5.9
BELLISSIMO	6.2	5.2	6.3	5.4	5.1	6.3	5.9	6.1	5.9
SKYE	7.0	5.3	6.5	4.8	5.1	6.5	6.5	5.3	5.9
SOMBRERO (CP 76-9068)	6.1	4.9	6.1	5.0	4.8	6.6	6.3	6.3	5.9
A00-247	6.4	5.1	6.2	5.3	5.1	6.2	6.1	5.9	5.9
IQG-38	6.5	5.7	6.2	5.7	5.5	6.2	6.2	5.2	5.9
BD 98-2108	6.5	5.3	6.2	6.2	5.4	6.3	6.3	5.3	5.9
MSP 3722	6.7	5.5	6.1	5.4	5.3	6.1	6.0	5.6	5.8
J-3429	7.2	5.5	6.8	5.3	5.1	6.6	6.0	4.4	5.8
JULIA	7.0	5.2	5.8	5.3	5.2	6.3	6.9	5.5	5.8
RAD-762	6.4	5.3	5.6	5.8	5.5	6.0	6.9	6.1	5.8
GREENTEAM (CPP 821)	6.1	4.4	5.9	4.6	4.9	6.5	6.4	6.7	5.8
STR 2485	6.3	5.5	6.1	5.8	5.0	5.7	6.9	6.1	5.8
AMERICA	6.6	5.3	6.1	5.2	5.2	6.3	5.8	5.7	5.8
MSP 3724	6.5	5.5	6.1	5.0	4.9	6.0	5.7	6.1	5.8
DYNAMO	6.9	4.7	5.7	4.4	5.1	6.0	5.9	6.4	5.8
ARIES (A98-948)	6.4	5.9	5.9	5.4	4.9	6.1	6.1	5.8	5.8
GAELIC (BD 98-1358)	6.6	6.0	5.6	5.9	4.6	6.2	6.4	5.8	5.8
JUMP START (PST-109-752)	6.9	5.2	6.2	5.6	5.2	6.0	6.5	5.1	5.8
WILD HORSE (A97-890)	6.6	5.3	5.7	6.2	4.7	6.0	6.3	5.9	5.8
PROSPERITY	6.8	5.0	6.4	4.7	4.5	6.4	5.9	5.7	5.8
FUTURITY (A99-3119)	6.6	5.6	6.0	5.3	5.0	6.2	6.1	5.5	5.8
BLUEBERRY	6.7	4.9	6.3	4.2	4.8	7.2	5.7	4.9	5.8
RAVEL 1 (CPP 817)	6.4	5.1	5.5	5.1	5.3	6.4	6.5	5.9	5.8
RUGBY II	6.7	5.3	5.9	5.5	4.9	6.7	6.6	5.0	5.7
ARGOS	6.7	5.3	6.3	4.9	4.9	6.3	6.0	5.3	5.7
RUBICON (NA-3248)	6.5	5.1	6.0	5.7	4.8	6.4	5.6	5.5	5.7
SPTR 2959	6.6	5.1	6.0	5.7	4.6	5.9	6.5	5.9	5.7
AURA (A99-2559)	7.1	5.6	6.0	5.7	5.1	6.2	6.2	4.9	5.7
ARMADA (PSG 366)	6.7	5.8	6.0	5.7	4.9	6.3	6.1	4.8	5.7
H98-701	6.5	5.2	6.1	5.6	5.3	5.7	6.0	5.1	5.7
PSG 711	6.7	4.8	5.8	5.4	4.8	6.0	5.7	5.6	5.7
MOONLIGHT SLT (PST-101-390)	6.7	4.8	6.0	4.5	5.4	6.9	5.8	4.7	5.7
MYSTERE	7.2	5.5	6.1	5.0	5.1	6.2	6.3	4.6	5.6
SHAMROCK	6.6	5.4	5.6	5.8	4.8	6.2	6.1	4.8	5.6
PST-101-73	6.5	4.9	5.6	5.2	4.8	6.0	6.3	5.3	5.6
PINOT (LTP-149)	6.7	5.4	6.0	4.5	4.2	7.0	5.9	4.5	5.6
MADISON (RAD-OAN64)	6.5	4.8	6.2	5.3	4.6	5.7	6.5	5.4	5.6
BARIRIS	6.4	5.2	5.9	4.8	4.8	6.0	6.5	5.1	5.5

TABLE 6. MEAN TURFGRASS QUALITY RATINGS OF KENTUCKY BLUEGRASS CULTIVARS
 (CONT'D) GROWN AT EIGHT LOCATIONS 1/
 IN THE NORTH CENTRAL REGION
 2006-10 DATA

NAME	TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/								MEAN
	IA1	IL1	IN1	MI1	MN1	NE1	ON1	WI1	
RAD-504	6.9	5.0	5.6	5.3	4.9	6.2	6.3	4.7	5.5
A95-410	6.6	5.4	5.6	5.9	4.6	6.2	6.6	4.6	5.5
AKB449	7.1	5.2	6.1	5.2	4.8	6.1	6.4	4.0	5.5
BAR VV 9630	6.3	5.1	5.2	5.6	4.5	6.0	6.7	5.4	5.4
BARON	6.5	4.6	5.4	5.2	4.5	6.0	6.2	5.5	5.4
AVIATOR (NA-3259)	6.7	4.7	5.8	5.2	4.8	6.3	6.1	4.1	5.4
A98-689	6.4	4.9	5.8	5.1	4.5	5.9	6.3	5.0	5.4
BANDERA (SPTR 2LM95)	6.3	4.8	5.6	5.3	4.6	5.9	6.0	5.0	5.4
VOLT (A98-999)	6.8	5.2	5.6	5.6	4.2	5.3	6.5	4.9	5.3
A00-1254	6.8	5.2	5.6	4.8	4.3	6.4	6.2	3.9	5.3
H94-305	6.9	5.7	5.5	5.7	3.8	5.6	6.7	4.4	5.3
BARRARI (BAR VV 9634)	6.6	5.0	5.5	5.6	4.4	5.7	6.3	4.4	5.2
BARVETTE HGT (BAR VV 0709)	6.6	5.5	5.6	5.8	4.3	2.9	7.1	5.1	5.2
CORSAIR (NA-3249)	6.6	4.8	5.8	4.7	4.6	6.3	5.8	3.3	5.2
DLF 76-9075	6.2	5.5	5.4	5.0	4.3	6.7	6.5	3.8	5.2
BARDUKE (BAR VV 8536)	6.4	5.4	5.4	5.3	4.0	5.9	6.4	4.1	5.1
BAR VK 0710	6.2	5.1	5.2	5.0	4.1	5.4	6.9	4.9	5.1
BAR VV 0665	6.5	4.9	4.8	5.5	4.0	5.7	6.5	3.2	4.8
MERMAID (DP 76-9081)	6.7	5.3	5.2	4.6	4.0	5.3	6.6	2.8	4.8
KENBLUE	6.2	4.8	4.2	5.3	3.1	4.9	7.0	3.2	4.4
REVEILLE	6.1	3.7	5.2	3.6	3.1	4.6	6.1	2.5	4.2
LSD VALUE	0.8	1.0	0.8	1.2	0.9	0.9	0.5	1.3	0.4
C.V. (%)	7.0	11.9	7.9	14.1	11.3	9.2	5.3	15.8	10.8

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
 STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.