



UNITED SEEDS INC



GRID IRON



BLUEGRASS_RYEGRASS MIXTURE

Description

Grid Iron is designed for use on sports fields or high traffic areas where compaction and wear and tear is an ongoing problem. The bluegrass varieties are aggressive tillering and rhizomatous types and the ryegrasses vigorously establish with excellent density and wear tolerance. Once established and properly maintained, Grid Iron will add an extra layer of protection on any sports field. Periodically over-seeding will create a seed bank needed for continuous regeneration and replacement of lost vegetative cover.

Contains:

80% Arrowhead, Blue Coat, Blue Note, Dauntless and Jackpot Kentucky Bluegrass. 20% Infusion Perennial Ryegrass (varieties subject to change)

Main Uses:

Athletic Fields, Commons Areas, Parks

Seeding Rate:

New Seeding (bare ground): 6LBS per 1,000 SQ FT
Over-Seeding (into existing): 3 LBS per 1,000 SQ FT
Over-Seeding (heavy use): 8 LBS per 1,000 SQ FT

Seeding Dates:

March-May
August- October
December-February (dormant seeding)

Days to Germinate:

Perennial ryegrass- 4-7 Days
Bluegrass- 10-21 Days

Characteristics

Color: Very Good
Density: Excellent
Shade Tolerance: Good
Drought Tolerance: Good
Wear Tolerance: Excellent
Mowing Height: Down to 3/4 inch cut
Leaf Texture: Very Good
Rate of Establishment: Very Good

CERTIFIED SEED

Grid Iron Kentucky Bluegrass/Ryegrass Mixture Lot # GIM-19

Variety & Kind	Amt.	Germ.	Origin	Lot Number
Dauntless Kentucky Bluegrass	16.00%	90%	WA	TBD
Jackpot Kentucky Bluegrass	16.00%	90%	WA	TBD
Arrowhead Kentucky Bluegrass	16.00%	90%	WA	TBD
Blue Coat Kentucky Bluegrass	16.00%	90%	WA	TBD
Blue Note Kentucky Bluegrass	16.00%	90%	WA	TBD
Infusion Perennial Ryegrass	20.00%	90%	MN	TBD

Total Pure: 100.00% Crop: 0.00% Inert: 0.00% Weeds: 0.00% AMS: 127
Net Weight: 50.0 Lbs. 22.68 Kg. SELL BY: 12-31-2019 Excess Noxious Weeds: None

UNITED SEEDS INC OMAHA - 800-456-9901 www.unitedseeds.com
Des Moines - 800-365-6674

Quality certified by NEBRASKA CROP IMPROVEMENT ASSOCIATION

MEMBER OF ASSOCIATION OF OFFICIAL SEED CERTIFYING AGENCIES

* The Certifying Agency makes no warranty of any kind, expressly or implied, including merchantability or fitness for purpose, or otherwise, which extends beyond the certification that the seeds inspected met the regulations of this agency. The Seller guarantees this seed to conform to the analysis shown. No further warranty is expressed or implied. Seller's liability is limited to the purchase price of the seed.



OMAHA HEADQUARTERS_ 7500 BURLINGTON _ OMAHA, NE 68127
NE TOLL FREE (800)456-9901 _ NE LOCAL (402)-331-4800 _ NE FAX (402)-331-1251
DES MOINES WAREHOUSE _ 1800 DIXON AVE _ DES MOINES, IA 50316
IA TOLL FREE (800)-365-6674 _ IA LOCAL (515)-282-1750 _ IA FAX (515)-266-5587
www.unitedseeds.com www.unitedseedsonline.com

General Seeding Guidelines



I. SEEDING DATES

April 15 to June 15

August 10 to October 15

November 15 to February 15

II. SITE PREPARATION FOR BAREGROUND SEEDING

- i. Conduct a soil test, per acre, to determine any needed soil amendments
- ii. Check soil PH. Ideal PH is between 6.0 and 7.0
- iii. Eliminate existing vegetation
- iv. Spray with a non-selective herbicide
- v. Remove any dead vegetation
- vi. Add soil amendments. Adjust PH.
- vii. Till soil to a 4-6 inch depth
- viii. Remove any large debris
- ix. Pulverize and lightly roll soil
- x. Apply 1 lb of Phosphorous (P) (2.27 lbs P₂O₅) / 1000 ft² to soil surface

III. SITE PREPARATION FOR INTERSEEDING/OVERSEEDING

- i. Conduct one soil test, per acre, to determine any need soil amendments
- ii. Check soil PH. Ideal PH is between 6.0 and 7.0
- iii. Remove any debris that may inhibit seeding
- iv. Mow area to be seeded if existing vegetation is higher than 3-4 inches

IV. SEEDING METHODS

Seeding Method is base on the slope and soil at site. Use broadcast, drop, slit or drill seeding methods where erosion is not a concern.

- i. Seed should be planted .125 to .25 inches below soil surface
- ii. Plant two directions putting 1/2 of seed down each direction
- iii. Gently roll or rake seeded area to ensure good soil to seed contact
- iii. If inter-seeding into existing vegetation use a slicer/inter-seeder that cuts into existing vegetation and places the seed into the soil at an optimum depth of 1/4 to 1/2 inch and achieves good soil to seed contact
- iv. If broadcast seeding into existing vegetation drag a harrow or chain link fence over seeded area to ensure seed to soil contact.

Hydro seed steep slopes or areas where erosion is a concern..

- i. Broadcast 1/2 of the seed before hydro-seed mixture is applied
- ii. Place the other 1/2 in the hydro seed mixture

V. WATERING REQUIREMENTS

- i. Water to field capacity immediately after seeding
- ii. The first three weeks after seeding keep top 1.t inches of soil moist
- iii. Weeks four through six after seeding water 3-4 times per week
- iv. After six weeks water when grass begins to show drought stress

VI. FERTILIZATION AND MOWING

- i. Fertilize seeded area once for the first two months with .5 lbs of N / 1000ft² after seeding
- ii. Mow when the grass is one inch longer than desired height. Do not remove more than 1/3 of grass blade.